Ghasemi Fatemeh Sadat 1 Hooshyar Hossein 2*

1- MSc in Medical Parasitology, (Kashan U.M.S) 2- Associate Prof. of Parasitology, (Kashan.U.M.S)

* Corresponding author: Department of Parasitology, School of Medicine, Kashan University of Medical Sciences.Kashan,Iran

Tel: 09133623292, 0361-5550021 Fax: 0361-5551112

E-mail: hooshyar4@yahoo.com Hoshyar_h@kaums.ac.ir

Journal of Medical Council of Islamic Republic of Iran, VOL. 32, NO. 1, Spring 2014: 88-94

• **REVIEW ARTICLE** CODE:07

Laboratory diagnosis of Toxoplasmosis and its importance

Abstract

Toxoplasma toxoplasmosis. asymptomatic;

gondii as Although however,

protozoan gondii primary

a

Τ.

parasite infection infection

is

the in during

etiologic healthy adults pregnancy

of agent is can

[Downloaded from jmciri.ir on 2025-07-16]

complication death abortion, anatomical cause severe such as fetus and malformation ocular toxoplasmosis. and It can be life and mental immunocompromised person cerebral threatening for including abscess, encephalitis, pneumonia death.Correct rapid and and diagnosis of toxoplasmosis among is very important especially seronegative pregnant women and immunocompromised individuals.

The objective of the present article was to review and compare of routine and new diagnostic methods of toxoplasmosis with emphasis on specificity and sensitivity of them.

Keywords: Toxoplasmosis, Laboratory diagnosis, Serology