

مراجع

- 1- Braverman L, Utiper R. *The Female Reproductive system in Hypothyroidism, The Thyroid A; Fundamental and Clinical Text*, wolter kluwer company . 2000; 824-832.
- 2- Speroff L, Marc A, Frits. *Clinical gynecology Endocrinology and infertility*. Lippincott , williams & wilkins 2005 ; 805-7.
- 3- Danese MD, powe NR, sawin CT, et al. Screening for mild thyroid failure at the periodic health examination :a decision and cost -effectiveness analysis . JAMA. 1996; 276:285-92.
- 4- Vanderpump MP, Tunbridge WM , French JM, et al. The incidence of thyroid disorder in the community: a twenty-years Follow-up of the Whickham survey. Clin Endocrinol 1995 ; 43(1):55-68.
- 5- Falkenberg M, Kagedal B, Norr A. Screening of an elderly female population for hypo-and hyperthyroidism by use of a thyroid hormone panel. Acta Med scand 1983; 214 (5) :361-5.
- 6- Tunbridge WM, Vanderpump MP. Population screening for autoimmune thyroid disease. Endocrinol Metab Clin North Am. 2000 ;29(2):239-53, V. Review.
- 7- Demers LM, Spencer CA, Laboratory medicine practice guidelines :laboratory support for the diagnosis and monitoring of thyroid disease, Thyroid 2003; 13:2.
- 8- Vander pump pump MP, Franklyn JA . Thyroid function tests and hypothyroidism, Restoring serum TSH to reference range should be goal of replacement BMJ. 2003 May 17;26 (7398):1086-7.
- 9- Danese MD, Ladenson PW, Meinert CL, Powe NR . Effect of thyroxin therapy on serum lipoproteins in patients with mild thyroid failure : a quantitative review of the literature , J Clin Endocrinol Metab2000; 85:2993.
- 10- Hak AE, Pols HA, Visser TJ, Drexhage HA, Hofman A, Witteman JC, Subclinical hypothyroidism is an independent risk factor for atherosclerosis and myocardial infarction in elderly women : the Rotterdam study . Ann Intern Med 2000; 132:270.
- 11- Parle JV , Franklyn JA, Cross KW et al. Circulating lipids and minor abnormalities on thyroid function. Clin Endocrinol (oxf).1992; 37(5) :411-4.
- 12- Sawin CT, Geller A, kaplan MM, et al. Low serum thyrotropin (TSH) in older persons without hyperthyroidism Arch Inter Med 1991 ; 151(1);165-8.
- 13- Canaris GJ , Manowitz MR. Mayor G,et.al. The colorade thyroid disease prevalence study . Arch Intern Med 2000;160:526-534.
- 14- Tunbridge WM , Evered DC, Hall R,et.al. The spectrum of thyroid disease in a community :The whickham survey . Chin Endocrinol-1997 Dec;7(6):481-93.
- 15- Cooper DS, Halpern R, Wood LC, et.al .Thyroxin therapy in subclinical hypothyroidism . A double – blind , placebo – controlled trial . Ann Intern Med 1984 Jul;101(1):18-24.
- 16- Nystrom E, Caiddahl K, Fager G,et.al. A double-blind cross-over 12 month study of L-thyroxin treatment of women with subclinical hypothyroidism. Clin Endocrinol (OxF) 1988 Jul .
- 17- Danese MD, powe NR, sawin CT, et al. Screening for mild thyroid failure at The periodic health examination :a decision and cost -effectiveness analysis . JAMA 1996; 276:285-92.